

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------|
| - | 155 | "data structure" and node\$1 and physical and solver and attribute\$1 and stor\$3 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 13:18 |
| - | 34 | "data structure" same node\$1 and solver and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:30 |
| - | 11 | solver same data adj1 store\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/24 10:50 |
| - | 0 | solver same ("data store" or "data stores") and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 17:29 |
| - | 125 | solver and ("data store" or "data stores") and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 17:29 |
| - | 2 | ("data structure" same node\$1 and solver and @ad<20010807) and (solver and ("data store" or "data stores") and @ad<20010807) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 17:47 |
| - | 4 | 707/101.ccls. and solver! and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 17:49 |
| - | 5 | 716/1.ccls. and (solver! and node\$1 and stor\$3 and @ad<20010807) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:25 |
| - | 2 | 707/101.ccls. and (solver! and node\$1 and stor\$3 and @ad<20010807) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 17:52 |
| - | 278 | ("data store" or "data stores" or (data adj1 storage\$1)) same assign\$5 same device\$1 and node\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:32 |
| - | 0 | ((("data store" or "data stores" or (data adj1 storage\$1)) same assign\$5 same device\$1 and node\$1 and @ad<20010807) and ("data structure" same node\$1 and solver and @ad<20010807) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:29 |
| - | 5 | ((("data store" or "data stores" or (data adj1 storage\$1)) same assign\$5 same device\$1 and node\$1 and @ad<20010807) and solver! | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:29 |
| - | 55 | ((("data store" or "data stores" or (data adj1 storage\$1)) same assign\$5 same device\$1 and node\$1 and @ad<20010807) and "data structure" same node\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:30 |
| - | 39 | ("data store" or "data stores" or (data adj1 storage\$1)) same (assignment\$1 or assigns!) same device\$1 and node\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/05 18:35 |
| - | 60 | ("data store" or "data stores" or (data adj1 storage\$1)) same (assignment\$1 or assign\$1) same device\$1 and node\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:17 |
| - | 5 | ("5214768" "5719983" "5894560" "6108748" "6279074").PN. | USPAT | 2004/01/05 18:40 |
| - | 2 | ("4716408" "4881164").PN. | USPAT | 2004/01/05 19:52 |

| | | | | |
|---|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------|
| - | 10 | ("data store" or "data stores" or (data adj1 storage\$1)) same (assignment\$1 or assign\$1) same device\$1 and node\$1 and attribute\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:10 |
| - | 0 | ((("data store" or "data stores" or (data adj1 storage\$1)) same (assignment\$1 or assign\$1) same device\$1 and node\$1 and attribute\$1 and @ad<20010807) and solver\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:10 |
| - | 0 | solver same ("data store" or "data stores" or (data adj1 storage\$1)) same (assignment\$1 or assign\$1) and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:18 |
| - | 15 | solver same ("data store" or "data stores" or (data adj1 storage\$1)) and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:18 |
| - | 102 | solver same (assignment\$1 or assign\$1) and metric and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:19 |
| - | 0 | solver same (assignment\$1 or assign\$1) same metric and attribute\$ and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:20 |
| - | 1 | solver same (assignment\$1 or assign\$1) same attribute\$ and metric and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 14:46 |
| - | 1 | solver same (assignment\$1 or assign\$1) same attribute\$ and metric and solver and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 12:21 |
| - | 147 | "data structure" and node\$1 and physical and solver and attribute\$1 and stor\$3 and assign\$5 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 13:19 |
| - | 8 | "data structure" same node\$1 and physical and solver and attribute\$1 and stor\$3 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 13:18 |
| - | 6 | "data structure" same node\$1 and physical and solver and attribute\$1 and stor\$3 and assign\$5 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 13:33 |
| - | 6 | "data structure" same node\$1 and physical and solver and attribute\$1 and stor\$3 and assign\$5 and node\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 13:34 |
| - | 100 | solver same (assignment\$1 or assign\$1) and metric and attribute\$ and solver and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 14:34 |
| - | 130 | solver and (assignment\$1 or assign\$1) and metric and attribute\$ and solver and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 14:34 |
| - | 102 | solver same (assignment\$1 or assign\$1) and metric and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/01/06 14:46 |
| - | 0 | solver same data adj1 store\$1 same compar\$6 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/24 10:50 |

| | | | | |
|---|----|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------|
| - | 8 | solver same (data or attribute\$1) same stor\$4 same compar\$3 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/24 10:52 |
| - | 8 | solver same (data or attribute\$1) same stor\$4 same compar\$3 and solver\$1 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/24 11:31 |
| - | 0 | solver same (data or attribute\$1) same stor\$4 same (compar\$3 or match\$3) and solver\$1 same assign\$5 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/24 11:32 |
| - | 98 | solver and (data or attribute\$1) same stor\$4 same (compar\$3 or match\$3) and solver\$1 same assign\$5 and @ad<20010807 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/24 11:33 |